



DESIGN SHEET

K - BANANA™

MANUAL LOUVERED PERGOLA





01 Technical Specs

02 Warranty

03 Color Chart

04 Options

This document is the intellectual property of Azenco Outdoor and is intended solely for certified dealers; distribution is prohibited.



Editions

Technical Specs




PLATFORM EDITION



ANCHORED EDITION



Technical Specs

Dimensions



Technical Specs

Dimensions



Technical Specs

Louvered Roof

90° Maximum opening of louvers
Louvers opening direction is chosen at the installation



WIND LOAD CAPACITY

Closed Louvers:
Up to 95 mph

Opened Louvers:
Up to 105 mph

SNOW LOAD CAPACITY

Closed Louvers:
Up to 15 lbs/sq. ft.

Opened Louvers:
Up to 20 lbs/sq. ft

Weight

Technical Specs

	10' x 10'	12' x 12'
WITH FLOOR FRAME	519 lbs	704 lbs
WITHOUT FLOOR FRAME	351 lbs	444 lbs
PRIVACY WALL	199 lbs	235 lbs

Warranty



15 years: standard color powdercoat

15 years: aluminum structural components

5 years: manual system (excluding manual crank)

Color Palette

Standard Colors



FRAME & LOUVERS: WHITE MAT SMOOTH



FRAME: BLACK TEXTURED
LOUVERS: WHITE MAT SMOOTH

Options

Privacy Wall

Fixed with 1,7" gap



White



Black



Options

Combined Zones



- Only linear configurations
- Maximum of 4 zones aligned



azenco-outdoor.com

(305) 306-3204

azenco@azenco-outdoor.com

725 SE 9th Ct Hialeah, FL 33010